

GETEX

Getex is an uncovered and lightweight fire hose very well suited for use in fire hose cabinets. used in large mobile stand-by emergency firefighting systems around the world.

Stored securely and centrally to reduce the response time for a city, a factor, or a large refinery where the consequences of a fire is often dramatic.

Fire hoses are also used in case of flooding, for quickened safe dewatering of large or small areas.

FEATURES

Uncovered fully synthetic firehose made from circular woven polyester with an inner lining made from EPDM rubber. The hose has good chemical resistance against common chemicals.

DESIGN

Mandals Getex is an extremely lightweight uncovered, fully synthetic polyester fire hose with an EPDM inner lining.

ADVANTAGES

The hose can operate from -30 to + 75 (-22 to +167), intermittent use up to +80 (+176).
The hose can be delivered in continuous lengths.
Ideal for use where hoses have to be man handled over long distances.
Excellent under all climatic conditions.



TECHNICAL DATA

INTERNAL DIAMETER		WALL THICKNESS		WEIGHT		BURST PRESSURE		TENSILE STRENGTH	
Inch	mm	Inch	mm	Lbs / ft	Kg / m	Psi	Bar	X1000 lbs	Tons
1	25.4 + 1.6	0.07	1.7	0.08	0.12	1015	70		
1 1/2	38.0 + 1.6	0.07	1.7	0.12	0.18	870	60	10.6	4.8
2	51.0 + 2.0	0.07	1.8	0.18	0.27	725	50	13.9	6.3
2 1/2	65.0 + 2.0	0.08	2.1	0.21	0.32	655	45	15.2	6.9
3	76.0 + 2.0	0.09	2.3	0.27	0.40	655	45	17.9	8.1
4	102.0 + 2.0	0.09	2.3	0.43	0.65	510	35	25.3	11.5

NOTE: MINIMUM SAFETY FACTOR BP/WP IS 2:1 (50%) FOR ALL NON-HAZARD AND/OR NON-FLAMMABLE LIQUIDS.

ISSUE 2.0 - 18.09.2020

Add Note: _____
